



**Document of Performance  
According to Regulation (EU) 305/2011**

Aduro P4 Series		DoP No: P4 0001
Residential space heating appliance fired by wood pellets without hot water supply. EN 14785: 2008; CEN/TS 15883:2009		
Aduro AS, Beringvej 17, DK-8361 Hasselager, Denmark. <a href="http://www.aduro.dk">www.aduro.dk</a> , <a href="mailto:info@aduro.dk">info@aduro.dk</a> , Tel.: +45 70274703.		
System 3 of assessment and verification of constancy of performance of the construction product: Internal quality security system in combination with external production control.		
SZU, Hudcova 424/56b, 621 00 Brno, notified body number: 1015. performed the determination of the product type on the basis of type testing under system 3 and issued test report: 30-15199/3/T		
Declared performance		
<b>Harmonized technical specification</b>	EN 14785:2008; CEN/TS 15883:2009	
<b>Essential characteristics</b>	<b>Performance</b>	
<b>Fire safety</b>		
Reaction to fire	A1	
Distance to combustible materials Distance marked with * is for installation with isolated pipe	Minimum distances, in mm rear = 100 sides = 100 front = 800	
Risk of burning fuel falling out	Pass	
<b>Emission of combustion products Pellets Nominal Heat</b>	CO [ $<105/ <0.0084$ %]	
<b>Emission of combustion products Pellets Reduced Heat</b>	CO [218/ 0.0174 %]	
<b>Surface temperature</b>	Pass	
<b>Electrical safety</b>	Pass	
<b>Cleanability</b>	Pass	
<b>Maximum water operating pressure</b>	NPD	
<b>Flue gas temperature at nominal heat output</b>	T [118°C]	
<b>Mechanical resistance (to carry a chimney/flue)</b>	NPD	
<b>Thermal output</b>		
Nominal heat output Pellets	8,0kW	
Room heating output	8,0kW	
Water heating output	"" kW	
<b>Energy efficiency Pellets</b>	$\eta$ [ $>90$ % by Nominal output] $\eta$ [ $>92$ % by Reduced output]	

Signed for and on behalf of the manufacturer by:

Christian Skovbo, CEO, Aduro AS  
Hasselager, 21.09.2021

.....